

SCHEDA TECNICA

BALNEO



Nome Prodotto

Sollevatore da Piscina Balneo.


Codice	Portata (Kg)				
01.01.BALNEO	200				

Destinazione d'uso

I sollevatori da piscina vengono utilizzati per l'immersione nella vasca di pazienti con limitazioni funzionali che necessitano una rieducazione motoria in acqua.

Descrizione

Il sollevatore elettrico BALNEO DA PISCINA in acciaio Inox, aiuta i pazienti ad entrare ed uscire dalla piscina. E' dotato di una centralina LINAK asportabile, per poterla ricaricare con maggiore comodità, collocata sulla colonna portante. Il sollevatore è munito di un telecomando con cavo elettrico, bilancino a 5 punti di aggancio con sistema di sicurezza, maniglione per facilitare la rotazione, base con 4 perni per fissare BALNEO sul bordo della piscina, un pulsante di emergenza FUNGO ROSSO che blocca il flusso di elettricità, un sistema meccanico di discesa di emergenza in caso di mancata elettricità ed un ulteriore sistema elettronico di discesa di emergenza in caso di malfunzionamento del telecomando.



Gruppo Elettrico					
LINAK	24 V				
Materiali					
Telaio	Acciaio				
Manutenzione e Pulizia					
La pulizia può essere fatta con panno umido dopo essersi assicurati che la batteria non sia in carica					
Conservazione e Smaltimento					
Conservare al riparo da fiamme libere e fonti di calore					
Smaltire il dispositivo rispettando le normative vigenti in materia di tutela dell'ambiente e raccolta differenziata					
Confezione e Nr. Articoli					
Scatola	1 Pezzo				
Garanzia					
Europea	24 mesi per difetti di fabbricazione ad esclusione delle parti consumabili				
Riferimenti del Prodotto					
Fabbricante	bricante Demarta Virginio S.a.S.				
Classe di Dispositivo 93/42	Classe I				
Codice ISO	12.36.03.006				
Codice CND	Y123603				



DATA SHEET

BALNEO

REVISION N° 1



DATE 09/2018

Product Name Pool Lift Balneo.

Code	Capacity (Kg)
01.01.BALNEO	200

Use

The lift is used for immersion in the swimming pool disabled patients that need hydrokinesistherapy.

Description

The BALNEO is a passive lift and it allows patients with important functional limitations to enter or come out from the swimming pool. It is equipped with a removable LINAK control unit placed on the mast, hand remote control, 4 anchor points sling bar with safety system, handle for moving, base with 4 screws to fix the lift to the edge of the swimming pool, an emergency stop red button that blocks the flow of electricity, a mechanical safety lowering in case of black out and an additional electric safety lowering system in case of malfunction of the remote control.

Code	Base Dimensions	Minimum Height at Sling Bar	Maximum Height at Sling Bar	Sling Bar Length	Sling Bar Width	Floor to Handle Height	Handle Width	Rotation Range	Dimensions Folded	Weight Capacity	Weight	Carton Size
Measures in Cm	+	+	1	Н	Н			1		kg	kg	
01.01.BALNEO	32x32	31	165	56	67	112	67	129	139x66x50	200	49	//

Elettrical Group					
LINAK	24 V				
Materials					
Frame	Steel				
Maintenance and Cleaning					
Cleaning can be done with a damp cloth after making sure the battery is not charging					
Storage and Disposal					
Keep away from heat, sparks, open flame or other sources of ignition					
Dispose of the device in compliance with current regulations on environmental protection and separate waste collection					
Package and Nr. Items					
Вох	1 Piece				
Warranty					
European	24 months for manufacturing defects with the exception of consumable parts				
Product References					
Manufacturer	ufacturer Demarta Virginio S.a.S.				
Directive 93/42	Class I				
ISO Code	12.36.03.006				
CND Code	Y123603				